

# DIGITAL DRAWER / CABINET LOCKS



## 8082 CL

- Unlock: Password
- Multi mode function (temporary / Personal mode)
- Automatic Relock function
- When battery is completely discharged door can be open using 9V external battery.
- Notice operation state with Beep Sound
- Back light Function
- Low Battery alarm
- Door thickness : 25-40mm



## 8083CL

- Unlock: Password
- All metal lock housing with or without integral pull handle.
- Standard, vertical and horizontal body orientation
- when battery is completely discharged door can be open using 9V external battery.
- Tamper Guard
- Visual and audible indicators
- Powered by 4 premium AA or 2 9-Volt batteries
- Low Battery Alarm
- Door thickness: 25-40mm



## 8084CL

- Unlock: Password + Magnet key
- 3-level management
- Permanent code or temporary code optional
- Manual or auto locking optional
- Wrong code alarm
- when battery is completely discharged door can be open using 9V external battery.
- Low battery alarm
- Anti-picked alarm
- When battery is completely discharged door can be open using 9V external battery.
- Emergency power backk up
- Front panel Stainless steel
- Rear panel ABS plastic material
- Front panel size (mm): 100(h) x 40(w) x 13(d)
- Rear panel size (mm); 125(h) x 65(w) x 20(d)
- Door thickness: 25-40mm



### 8085CL


- Unlock: Password
- Touch screen type
- Powered by 3 x AA alkaline battery
- 3-lever management
- Permanent code or temporary code optional
- When battery is completely discharged door can be open using 9V external battery.
- Wrong code alarm
- Low battery alarm
- Anti-Picked alarm
- Emergency power back up
- Front panel size (mm): 100(h) x 40(w) x 13(d)
- Rear panel size (mm); 125(h) x 65(w) x 20(d)
- Door thickness: 25-40mm



Front

### 8086CL

- Unlock: RFID card
- Standalone or software-operated available
- EM, Mifare1, etc. available
- 3-level management
- Manual or auto-locking available
- When battery is completely discharged door can be open using 9V external battery.
- Wrong card alarm
- Low battery alarm
- Anti-picked alarm
- Emergency power back up
- ABS plastic material
- Door thickness: 25-40mm



### 8097CL

- Unlock: RFID card
- Standalone or software-operated available
- EM, Mifare1, etc. available
- 3-level management
- Manual or auto-locking available
- When battery is completely discharged door can be open using 9V external battery.
- Wrong card alarm
- Low battery alarm
- Anti-Picked alarm
- Emergency power back up
- Front panel size (mm): 100(h) x 40(w) x 13(d)
- Rear panel size (mm); 125(h) x 65(w) x 20(d)
- Door thickness: 25-40mm



- IB card key Band



- EM card key band




## 8002CL Cabinet Lock

### Features:

- Unlock Modes: Fingerprint, Digital Code, Card
- Material : Zinc Alloy
- Secure control by level – management
- Touch screen digital with card type
- Semi-conductor module make fast recognition
- Indicator blinks while in locked status
- Wrong Code, Non-registered fingerprint or illegal card alarm.
- Low voltage alarm
- Anti-picked (Prized) alarm
- External power back up (USB Port)

### Technical parameters

- Power supply : 3 x AA alkaline battery;
- Dynamic Current :  $\leq 200\text{mA}$
- Static Current :  $\leq 20\text{ A}$
- Working Humidity : 20-95%RH
- Fingerprint capacity: 40 Pcs
- Alarm Voltage : 3.7
- Door thickness :  $\geq 13\text{mm}$



## 8004CL Cabinet Lock

- Opens With: Fingerprint
- Power Source: 3 x AA Alkaline Batteries
- External Power Backup: Micro-USB
- Door Thickness  $\geq 9\text{ mm}$
- Material: ABS Plastic Material
- Anti-theft Alarm
- Package Contents: Main body, Lock Body, Screws, Strike Plate, Magnetic Key & Manual



### 8104CL Cabinet Lock

- Opens With: Fingerprint, Mechanical Key
- Power Source: 3 x AAA Batteries
- External Power Backup: Micro-USB, 9V Emergency Battery
- Door Thickness  $\geq 11.5\text{mm}$
- Material: Plastic and ABS
- Auto Alarm activated when wrong input given for 4 times
- Package Contents: Main body, Battery Box, Screws, Mechanical Key & Manual



### 8105CL Cabinet Lock

- Opens With: Numerical Password(user & management password); easy turn-to-unlock feature
- Multilayer password management
- Power Source: 2 x 3V Cr2450
- External Power Backup: Micro-USB
- Door Thickness upto 25.4mm
- Material: ABS Plastic and Zinc Alloy
- Anti-theft Alarm
- Package Contents: Main body, Lever, Screws & Manual



### 8106CL Cabinet Lock

- Opens With: Fingerprint (user & management fingerprint for added security); easy turn-to-unlock feature
- Power Source: 2 x 3V Cr2450
- External Power Backup: Micro-USB
- Door Thickness upto 25.4mm
- Material: ABS Plastic and Zinc Alloy
- Anti-theft Alarm
- Package Contents: Main body, Lever, Screws & Manual



### 8107CL Cabinet Lock

- Opens With Fingerprint and Numerical Password
- Power Source 4 x AA Batteries, MicroUSB Power Backup
- Door Thickness  $\geq 13$  mm
- Material ABS Plastic and Zinc Alloy
- Special Features Anti Theft Alarm, 100,000 Cycle Tested
- Package Contents Main body, Lock Body, Strike Plate, Screws & Manual
- Application Lockers, Drawers, Cabinets